

# NEW H SERIES LOADERS

H260 | H310 | H340 | H360 | H380 | H480



# The Ultimate Hired Hand

## Introducing the all-new H Series Loaders

John Deere Loaders have always been known for their durability and seamless integration with John Deere Tractors. To answer operator requests and to meet the challenges of evolving tractors, John Deere introduces the all-new H Series Loaders. These loaders bring all the strength of previous John Deere Loaders and combine that legacy with more visibility, added ease of use, and faster cycle times. “Will-fit” loaders just can’t match the co-engineered advantage of a green loader on a green tractor.



Convenient single-point hydraulic connections save time while eliminating connection error with virtually no oil loss. Plus, electrical connections are integrated in the single-point connection.



Concealed oil lines, routed through the boom arm and torque tube, protect the hydraulic system and give the loader a more attractive appearance.

False rod bucket cylinders require a smaller displacement of oil on the head end of the cylinder allowing the cylinder to dump significantly faster than a normal cylinder. The result? Faster bucket dumping cycle times. (False rod bucket cylinders are only available on Mechanical Self-Levelling configurations.)

Cast steel components add strength and durability.

The low torque tube position improves visibility. The redesigned attachment carrier also improves operator's visibility making it easier to switch attachments. And with a wide range of John Deere attachments you can quickly go from moving bales to loading the feed mixer.



## H Series Loader and Tractor Compatibility

Model #	Model Replaced	Tractor Compatibility	Levelling Options
H260	563	5M   5E Limited   6D	NSL <sup>^</sup> or MSL
H310	--	6D   5M   6030	NSL <sup>^</sup> or MSL
H340	673	6030   7130   7230	NSL <sup>^</sup> or MSL
H360	740	7130   7230   7330   6R	NSL <sup>^</sup> or MSL
H380	741	6R	MSL
H480	746 and 843	7R   8R	MSL

NSL<sup>^</sup> = Non-Self Levelling  
 MSL = Mechanical Self Levelling  
<sup>^</sup> Please ensure compliance with all local regulations in respect to use of this product in your region.

Park in a snap. No tools needed.



Parking stands and pins are integrated on the loader – no loose parts, no tools needed.



This literature has been compiled for worldwide circulation. While general information, pictures, and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options and accessories NOT AVAILABLE in all regions, and in some countries products and accessories may require modifications or additions to ensure compliance with the local regulations of those countries. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specification, design and price of products described in this literature without notice. John Deere, the leaping deer symbol, and John Deere's green and yellow trade dress are the trademarks of Deere & Company.

DSAB49580 (09-11)

Australia 1800 800 981 | [www.JohnDeere.com.au](http://www.JohnDeere.com.au)  
 New Zealand 0800 303 100 | [www.JohnDeere.co.nz](http://www.JohnDeere.co.nz)