



GX340

The GX340 features more power, quieter performance, lower fuel consumption, and lower emissions. GX engines establish themselves yet again as the best engines in the business.

INTRODUCTION

COMMON APPLICATIONS

The GX340 is used in all sorts of applications. From Pressure Washers and Construction/Industrial equipment, to Tillers/Cultivators, Generators and Commercial Lawn & Garden Equipment, it can be found working hard all over Australia.

Due to its power, heavy-duty Forestry Equipment, Agricultural Equipment and Water Pumps are also powered by the gutsy GX340.

Of course, to see how the GX340 stacks up against other Honda engines, click on the Compare Products icon next to the Share tab, in the top right of this page.

FUEL EFFICIENT, HIGH OUTPUT OPERATION

A digital CDI ignition system with variable timing and an increased compression ratio combines with the GX340's Precision Camshaft design to offer precise valve timing and optimal valve overlap for better fuel efficiency.

It draws on decades of Honda engineering with its OHV design, delivering increased efficiency and optimal power transfer where and when you need it.

The use of lightweight, noise-reducing materials and a forged steel crankshaft & rigid crankcase results in an exceptionally quiet engine - an improved piston design reduces mechanical noise, with an overall reduction of engine noise by up to 5 dB.

SMOOTH PERFORMANCE

The GX340 offers precision-engineered components resulting in lower vibration, and a Ball Bearing-supported Crankshaft for greater stability. It also offers an improved piston design and a heavy duty balancer shaft to deliver smooth performance.

A large capacity, multi-chamber exhaust system and sophisticated air intake system also makes for an exceptionally quiet engine.

And with a simple Throttle Control, large Fuel Tank and Automotive Type Fuel Cap, Dual Oil Drains and Fills, an easily accessible Spark Plug and Heavy Duty Recoil Starter, the GX340's features go on and on.

3 YEAR WARRANTY

The GX340, just like the entire GX Engine range, is covered by an extensive Honda 3 Year Warranty.

And for those who want a little bit more, available extras include Gear reduction options, Electric start option, Spark arrester and Charge & Lamp Coils with Multiple Output Options.

And should there be any issues, a nationwide network of 400+ authorised Honda dealers are there to back you up with all your parts & service requirements.

EXCEPTIONALLY QUIET

Helical cut gears

PROVEN RELIABILITY

Oil Alert

Cast iron cylinder sleeve

High quality materials, fit, and finish

Dual element air cleaner

EASY TO USE AND MAINTAIN

Easy, convenient, heavy duty control box

EASY STARTING

Automatic mechanical de-compression system

Variable ignition timing

EMISSIONS COMPLIANT

Applicable models meet the strictest world standards, contact Honda for more info

No catalyst necessary

SPECS

SPECIFICATIONS

MODEL	GX340
TYPE	4-stroke, overhead valve, single-cylinder, horizontal shaft
BORE & STROKE	82 x 64 mm
DISPLACEMENT	337cm ³
COMPRESSION RATIO	8.0:1
NET POWER	7.1kW (9.5HP) at 3,600 rpm
CONTINUOUS RATED POWER	5.8kW (7.8HP) at 3,600 rpm
MAXIMUM NET TORQUE	22.1 Nm at 2,500 rpm
IGNITION SYSTEM	Transistorised magneto ignition
STARTING SYSTEM	Recoil (Electric Starter Optional)
COOLING SYSTEM	Forced-Air
PTO SHAFT ROTATION	Counter-clockwise (from P.T.O. side)
FUEL CONSUMPTION AT RATED POWER	3.0 L/h at 3,600 rpm

RECOMMENDED FUEL	Unleaded
LUBRICATION SYSTEM	Splash
RECOMMENDED OIL	10W/30 API SG
OIL CAPACITY	1.1l
FUEL TANK CAPACITY	6.1l
DIMENSIONS	405 x 450 x 443mm
DRY WEIGHT	30kg
OTHER OPTIONS	2:1 Reduction
RRP	Please contact your local Honda dealer for a great deal. http://dl.hondampe.com.au/

VISIT HONDA POWER EQUIPMENT WEBSITE

For terms and conditions please visit http://about.hondampe.com.au/Terms_and_Conditions

The information in this document is valid as of 31/08/2015. For the most up to date information please visit <http://powerequipment.honda.com.au>